


## Autogrù edile

### MK 63






Capacità di sollevamento massima: **8'000 kg**  
 Capacità di sollevamento massima alla punta del braccio: **1'800 kg**  
 Sbracci massimo: **36 m**








## Ausladung und Tragfähigkeit

Radius and capacity / Portée et charge / Sbraccio e portata / Alcances y cargas / Vlucht en draagkracht






T





 7,14 m x 6,90 m			<b>Außer Betrieb keine Demontage notwendig.</b> / Crane does not need to be disassembled when it is not in operation. / La grue n'a pas besoin d'être démontée lorsqu'elle est mise au repos. / Non è necessario lo smontaggio quando la gru è fuori servizio. / No es necesario desmontar la grúa en caso de no trabajar con ella. / Indien niet in gebruik, is geen demontage noodzakelijk.															
 max. 6,5 Bft (14 m/sec.)	m	m / kg	m / kg															
			9,0	10,0	12,0	14,0	16,0	18,0	20,0	22,0	24,0	26,0	<b>26,5</b>	28,0	30,0	32,0	34,0	<b>36,0</b>
	<b>36,0</b>	3,5-9,0 8000	8000	7200	5980	5090	4430	3910	3490	3140	2860	2610	2560	2410	2220	2070	1930	<b>1800</b>
	<b>26,5</b>	3,5-10,0 8000	8000	8000	6610	5640	4910	4330	3870	3490	3180	2910	<b>2850</b>					

 7,14 m x 6,90 m			<b>Außer Betrieb keine Demontage notwendig.</b> / Crane does not need to be disassembled when it is not in operation. / La grue n'a pas besoin d'être démontée lorsqu'elle est mise au repos. / Non è necessario lo smontaggio quando la gru è fuori servizio. / No es necesario desmontar la grúa en caso de no trabajar con ella. / Indien niet in gebruik, is geen demontage noodzakelijk.															
 max. 8,0 Bft (20 m/sec.)	m	m / kg	m / kg															
			9,0	10,0	12,0	14,0	16,0	18,0	20,0	22,0	24,0	26,0	<b>26,5</b>	28,0	30,0	32,0	34,0	<b>36,0</b>
	<b>36,0</b>	3,5-8,3 8000	7360	6590	5450	4630	4010	3530	3140	2830	2570	2340	2290	2150	1990	1840	1710	<b>1600</b>
	<b>26,5</b>	3,5-9,4 8000	8000	7540	6230	5300	4600	4050	3620	3260	2960	2710	<b>2650</b>					

## Auslegersteilstellung




Steep angle positions / Flèche en position relevée  
Braccio inclinato / Pluma inclinada / Hoofdgiekstand


 7,14 m x 6,90 m			m / kg <b>30°</b>															
 max. 6,5 Bft (14 m/sec.)	m	m / kg	7,0	8,0	9,0	10,0	12,0	14,0	16,0	18,0	20,0	22,0	<b>23,2</b>	24,0	26,0	28,0	30,0	<b>31,4</b>
	<b>36,0</b>	3,5-8,0 6000	6000	6000	5490	5070	4400	3870	3450	3100	2820	2570	2450	2370	2190	2030	1890	<b>1800</b>
	<b>26,5</b>	3,5-9,5 6000	6000	6000	6000	5750	5020	4440	3970	3590	3270	2990	<b>2850</b>					

 7,14 m x 6,90 m																				
 max. 6,5 Bft (14 m/sec.)	m		m <b>15°</b>					kg					m <b>45°</b>				kg			
	<b>36,0</b>		3,5 - 34,8					1800					3,5 - 26,0				1800			
	<b>26,5</b>		3,5 - 25,8					1800					3,5 - 18,5				1800			


## Antriebe

Driving units / Mécanismes d'entraînement / Azionamenti / Mecanismos / Aandrijvingen


	0 ↔ 1,1 U/min	5,0 kW FU
	0 ↔ 70,0 m/min	4,0 kW FU
	0 - 15° 0 - 30° 0 - 45°	40 sec. 80 sec. 100 sec.




24 kW FU  
WIW 230 KY 005




↔ **stufenlos** / stepless / régl. continu  
régl. progressive / sin escalones / traploos  
kg m/min




<b>1</b>	8000	0 ↔ 16
	500	0 ↔ 75



**1** Gang / Speed / Vitesse  
Marcia / Velocidad  
Versnelling


		1	2	3	4	5	6	7	8	9	10	11	12	R1	R2	
	(km/h)	6,7	8,3	10,8	13,2	16,7	20,5	28,2	34,7	45,0	55,4	69,8	75,0	6,6	8,1	<b>38,5%</b>
	(km/h) 	3,9	4,8	6,2	7,7	9,7	11,9	16,3	20,1	26,1	32,1	40,5	49,8	3,8	4,7	<b>&gt; 55,3%</b>


	14.00 R 25	<b>BGL</b>		C.0.08.0063
---	------------	------------	--	-------------

	<b>400 V</b>	<b>Hz</b>	<b>kVA</b>
	111,0 m 5 x 16 mm <sup>2</sup>	50	37,0

## Aufstellvorgang

Erection procedure / Déroulement de montage  
Procedimento di montaggio / Procedimiento de montaje / Opstelling van de mobiele torenkraan





## Gewicht

Weight / Poids / Peso / Peso / Gewicht

### zulässiges Gesamtgewicht

Permissible total weight / Poids total admissible  
 Peso totale ammissibile / Peso total admissible  
 Toegestaan totaalgewicht

**36000 kg**